


**Bau 950**

71 mm / 3 mm


## Bau 951 / ٩٥١

Kasa Profili	Ağırlık :1330 gr/m.
Frame Profile	Weight :1330 gr/m.
Рама	Bec :1330 гр/м
بروفيل الإطار	الوزن : ١٣٣٠ غ / م




## Bau 952 / ٩٥٢

Kanat Profili	Ağırlık :1580 gr/m.
Sash Profile	Weight :1580 gr/m.
Створка	Bec :1580 гр/м
بروفيل الضلعة	الوزن : ١٥٨٠ غ / م




## Bau 953 / ٩٥٣

Ortakayıt Profili	Ağırlık :1550 gr/m.
Mullion Profile	Weight :1550 gr/m.
Импост	Bec :1550 гр/м
بروفيل تي	الوزن : ١٥٥٠ غ / م



## Bau 955 / ٩٥٥


Süper (Geniş) Kasa Profili	Ağırlık :1430 gr/m.
Large Frame Profile	Weight :1460 gr/m.
Широкая рама	Bec :1460 гр/м
بروفيل الإطار الواسع	الوزن : ١٤٣٠ غ / م






## Bau 959/٩٥٩

Pervazlı Kasa Profili	Ağırlık :1580 gr/m.
Frame with Cornice Profile	Weight :1580 gr/m.
Рама с откосом	Вес :1580 гр/м
بروفیل الإطار بكشف	الوزن : ١٥٨٠ غ / م




## Bau 956/٩٥٦


Denizlikli Kasa Profili	Ağırlık :1780 gr/m.
French type frame	Weight :1780 gr/m.
Подоконно Рамный Профиль	Вес :1780 гр/м
بروفیل الإطار بمسيل للمطر	الوزن : ١٧٨٠ غ / م



## Bau 957/٩٥٧


İçe Açılım Damlalıklı Kapı Kanadı Profili	Ağırlık :1980 gr/m.
In turn door sash profile	Weight :1980 gr/m.
Дверная створка открытие вовнутрь с водоотливом	Вес :1980 гр/м
بروفیل ضلقة الباب فتح الى الداخل بمسيل المطر	الوزن : ١٩٨٠ غ / م






### Bau 617 / ٦١٧

Tek Cam Çıtası	Ağırlık : 275 gr/m.
Single Glazing Bead	Weight : 275 gr/m.
Штапик одинарного стекла	Вес : 275 гр/м
مثبت الزجاج للزجاج الواحد	الوزن : ٢٧٥ غ / م




### Bau 607 / ٦٠٧

20 mm. Çift Cam Çıtası	Ağırlık : 220 gr/m.
Double Glazing bead for 20mm.	Weight : 220 gr/m.
Штапик 20 мм стеклопакета	Вес : 220 гр/м
مثبت الزجاج للزجاج المزدوج ٢٠ ملم	الوزن : ٢٢٠ غ / م



### Bau 608 / ٦٠٨

24 mm. Çift Cam Çıtası	Ağırlık : 195 gr/m.
Double Glazing bead for 24mm.	Weight : 195 gr/m.
Штапик 24 мм стеклопакета	Вес : 195 гр/м
مثبت الزجاج للزجاج المزدوج ٢٤ ملم	الوزن : ١٩٥ غ / م





### Bau 506 / ٥٠٦

32 mm. Cam Çıtası	Ağırlık : 170 gr/mt
Double Glazing bead for 32 mm.	Weight : 170 gr/mt
Штапик 32 мм стеклопакета	Вес : 170 гр/м
مثبت الزجاج للزجاج المزدوج ٣٢ ملم	الوزن : ١٧٠ غ / م


## Kasa - Kanat Uygulaması

Frame - Sash, cross - section / Применение рама-створка / تطبيق الإطار مع الضلعة




## Hareketli Ortakayıt Uygulaması


False mullion cross - section / Применение штапелового профиля / تطبيق بروفيل تي المتحرك



## Destek Sacı - Reinforcement profile - Усилитель - حديد التسليح




BAU
951
953
956
959




Kalınlık Thickness	Ağırlık Weight	I <sub>x</sub>	I <sub>y</sub>
1.20 mm	630 g/m	0.85 cm <sup>4</sup>	0.68 cm <sup>4</sup>
1.50 mm	790 g/m	1.03 cm <sup>4</sup>	0.84 cm <sup>4</sup>
2.00 mm	1040 g/m	1.30 cm <sup>4</sup>	1.09 cm <sup>4</sup>

BAU
951
953
956
959



Kalınlık Thickness	Ağırlık Weight	I <sub>x</sub>	I <sub>y</sub>
1.20 mm	760 g/m	0.86 cm <sup>4</sup>	0.93 cm <sup>4</sup>
1.50 mm	940 g/m	1.03 cm <sup>4</sup>	1.12 cm <sup>4</sup>
2.00 mm	1220 g/m	1.30 cm <sup>4</sup>	1.41 cm <sup>4</sup>

BAU
952
955




Kalınlık Thickness	Ağırlık Weight	I <sub>x</sub>	I <sub>y</sub>
1.20 mm	650 g/m	1.20 cm <sup>4</sup>	0.63 cm <sup>4</sup>
1.50 mm	806 g/m	1.46 cm <sup>4</sup>	0.78 cm <sup>4</sup>
2.00 mm	1066 g/m	1.86 cm <sup>4</sup>	1.07 cm <sup>4</sup>

BAU
952
957




Kalınlık Thickness	Ağırlık Weight	I <sub>x</sub>	I <sub>y</sub>
2.00 mm	215 g/m	0.01 cm <sup>4</sup>	0.06 cm <sup>4</sup>


BAU
955



Kalınlık Thickness	Ağırlık Weight	I <sub>x</sub>	I <sub>y</sub>
1.20 mm	835 g/m	1.30 cm <sup>4</sup>	1.07 cm <sup>4</sup>
1.50 mm	1030 g/m	1.58 cm <sup>4</sup>	1.29 cm <sup>4</sup>
2.00 mm	1350 g/m	1.99 cm <sup>4</sup>	1.63 cm <sup>4</sup>




BAU  
911




Kalınlık Thickness	Ağırlık Weight	I <sub>x</sub>	I <sub>y</sub>
1.20 mm	785 g/m	0.15 cm <sup>4</sup>	1.78 cm <sup>4</sup>
1.50 mm	972 g/m	0.17 cm <sup>4</sup>	2.17 cm <sup>4</sup>
2.00 mm	1275 g/m	0.20 cm <sup>4</sup>	2.75 cm <sup>4</sup>

BAU  
911



Kalınlık Thickness	Ağırlık Weight	I <sub>x</sub>	I <sub>y</sub>
1.20 mm	475 g/m	0.04 cm <sup>4</sup>	1.30 cm <sup>4</sup>
1.50 mm	583 g/m	0.05 cm <sup>4</sup>	1.60 cm <sup>4</sup>
2.00 mm	770 g/m	0.06 cm <sup>4</sup>	2.04 cm <sup>4</sup>

BAU  
957



Kalınlık Thickness	Ağırlık Weight	I <sub>x</sub>	I <sub>y</sub>
1.20 mm	1105 g/m	3.89 cm <sup>4</sup>	4.14 cm <sup>4</sup>
1.50 mm	1380 g/m	4.82 cm <sup>4</sup>	5.08 cm <sup>4</sup>
2.00 mm	1840 g/m	6.32 cm <sup>4</sup>	6.56 cm <sup>4</sup>