


HYPERLINE


Contalı Sızdırmaz Sürme Seri

Innovative Sliding Series / Раздвижная система / للسحاب ختم بجوان




Bau 1801 / ١٨٠١

Contalı Sürme Kasa Profili	Ağırlık : 2200 gr/mt
Sliding Frame Profile	Weight : 2200 gr/mt
Раздвижная Рама	Bec : 2200 гр/м
بروفيل الإطار للسحاب بجوان	الوزن : ٢٢٠٠ غ / م



Bau 1802 / ١٨٠٢

Contalı Sürme Dar Kasa Profili	Ağırlık : 2050 gr/mt
Sliding Frame Profile	Weight : 2050 gr/mt
Раздвижная Рама	Bec : 2050 гр/м
بروفيل الإطار للسحاب بجوان	الوزن : ٢٠٥٠ غ / م




Bau 1813 / ١٨١٣

Kasa İçi Orta Kayıt Profili	Ağırlık : 2650 gr/mt
Mullion profile	Weight : 2650 gr/mt
Профиль Импоста	Bec : 2650 гр/м
بروفيل الربط تي	الوزن : ٢٦٥٠ غ / م


Bau 1804 / ١٨٠٤

Contalı Sürme Kanat Profili Ağırılık : 1570 gr/mt
Sliding Sash Profile Weight : 1570 gr/mt
Створка Раздвижной Bec : 1570 гр/м
بروفیل ضلفة للسحاب بجوان الوزن : م / غ ١٥٧٠




Bau 1803 / ١٨٠٣

Contalı Sürme Ortakayıt Profili Ağırılık : 1325 gr/mt
Sliding Mullion Profile Weight : 1325 gr/mt
Импост Раздвижной Bec : 1325 гр/м
بروفیل تي للسحاب بجوان الوزن : م / غ ١٣٢٥




Kasa - Kanat Uygulaması

Frame - Sash, cross - section / Применение рама-створка / تطبيق الإطار مع الضلعة




Kasa - Kanat Uygulaması

Frame - Sash, cross - section / Применение рама-створка / تطبيق الإطار مع الضلفة




145 mm Kasa - Kanat Uygulaması

Frame - Sash, cross - section / Применение рама-створка / تطبيق الإطار مع الضلعة




162 mm Kasa - Kanat Uygulaması


Frame - Sash, cross - section / Применение рама-створка / تطبيق الإطار مع الضلعة




Kasa - Kanat Uygulaması

Frame - Sash, cross - section / Применение рама-створка / تطبيق الإطار مع الضلقة




**Bau 1808 / ١٨٠٨**

24 mm. Çift Cam Çıtası Ağırılık : 260 gr/m.
Double Glazing bead for 24mm. Weight : 260 gr/m.
Штапик 24 мм стеклопакета Вес : 260 гр/м
مثبت الزجاج للزجاج المزدوج ٢٤ ملم الوزن : ٢٦٠ غ / م


**Bau 1809 / ١٨٠٩**

32 mm. Cam Çıtası Ağırılık : 220 gr/mt
Double Glazing bead for 32 mm. Weight : 220 gr/mt
Штапик 32 мм стеклопакета Вес : 220 гр/м
مثبت الزجاج للزجاج المزدوج ٣٢ ملم الوزن : ٢٢٠ غ / م

Destek Sacı - Reinforcement profile - Усилитель - حديد التسليح




BAU
1801
1813




Kalınlık Thickness	Ağırlık Weight	I _x	I _y
1.20 mm	1044 g/m	0.94 cm ⁴	3.64 cm ⁴
1.50 mm	1296 g/m	1.13 cm ⁴	4.44 cm ⁴
2.00 mm	1700 g/m	1.41 cm ⁴	5.68 cm ⁴

BAU
1801
1813




Kalınlık Thickness	Ağırlık Weight	I _x	I _y
1.20 mm	690 g/m	0.33 cm ⁴	2.94 cm ⁴
1.50 mm	856 g/m	0.40 cm ⁴	3.60 cm ⁴
2.00 mm	1130 g/m	0.51 cm ⁴	4.64 cm ⁴

BAU
1804




Kalınlık Thickness	Ağırlık Weight	I _x	I _y
1.20 mm	1044 g/m	2.33 cm ⁴	4.76 cm ⁴
1.50 mm	1296 g/m	2.84 cm ⁴	5.84 cm ⁴
2.00 mm	1700 g/m	3.64 cm ⁴	7.54 cm ⁴

BAU
1803



Kalınlık Thickness	Ağırlık Weight	I _x	I _y
1.20 mm	1245 g/m	2.90 cm ⁴	4.81 cm ⁴
1.50 mm	1548 g/m	3.53 cm ⁴	5.89 cm ⁴
2.00 mm	2037 g/m	4.51 cm ⁴	7.57 cm ⁴

BAU
1803



Kalınlık Thickness	Ağırlık Weight	I _x	I _y
1.20 mm	1010 g/m	2.66 cm ⁴	2.89 cm ⁴
1.50 mm	1252 g/m	3.25 cm ⁴	3.57 cm ⁴
2.00 mm	1656 g/m	4.17 cm ⁴	4.67 cm ⁴